

SAFETY DATA SHEET

1. Identification

Product identifier Wheel and Tire Cleaner

Other means of identification

FIR No. 176131

Recommended use Wheel and Tire Cleaner

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Supplier

Company Name Ford Motor Company

Address Attention: MSDS Information, P.O. Box 1899

Dearborn, Michigan 48121

USA

 Telephone
 1-800-392-3673

 MSDS Information
 1-800-448-2063

msds@brownart.com

Emergency telephone

numbers

Poison Control Center: USA and Canada: 1-800-959-3673 INFOTRAC (Transportation): USA and Canada 1-800-535-5053

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Hazardous to the aquatic environment, acute Category 3

long-term hazard

hazard

Hazardous to the aquatic environment,

Category 3

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Avoid release to the environment.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

May irritate eyes and skin. May cause irritation of respiratory tract. May be harmful if absorbed

Hazard(s) not otherwise

Supplemental information

through skin. None.

classified (HNOC) throug

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
(2-Methoxymethylethoxy)propanol		34590-94-8	1 - 5
ALCOHOLS, C11-15-SECONDARY, ETHOXYLATED		68131-40-8	1 - 5
Dodecylbenzenesulphonic acid		27176-87-0	1 - 5

FIR No.: 176131 SDS US

Issue Date: 04-30-2015

Chemical name	Common name and synonyms	CAS number	%
POTASSIUM HYDROXIDE		1310-58-3	1 - 5
Sodium etasulfate		126-92-1	 1 - 5

Specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Eve contact

Continue rinsing. Get medical attention if irritation develops and persists.

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. Ingestion Direct contact with eyes may cause temporary irritation.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special

treatment needed

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to **General information**

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

Move containers from fire area if you can do so without risk.

General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Avoid contact with eyes, skin, and clothing. Avoid inhalation of vapors or mists. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

During fire, gases hazardous to health may be formed. Upon decomposition, this product emits

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid contact with eyes, skin, and clothing. Avoid breathing mist or vapor. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

FIR No.: 176131 SDS US Version: 01

Issue Date: 04-30-2015

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Type	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	PEL	600 mg/m3	
		100 ppm	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	STEL	150 ppm	
	TWA	100 ppm	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	Ceiling	2 mg/m3	
US. NIOSH: Pocket Guide to Chemi	ical Hazards		
Components	Туре	Value	
(2-Methoxymethylethoxy)pr opanol (CAS 34590-94-8)	STEL	900 mg/m3	
		150 ppm	
	TWA	600 mg/m3	
		100 ppm	
POTASSIUM HYDROXIDE (CAS 1310-58-3)	TWA	2 mg/m3	

Biological limit values No biological exposure limits noted for the ingredient(s).

Exposure guidelines

US - California OELs: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US - Tennessee OELs: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Can be absorbed through the skin.

Appropriate engineering controls

Use adequate ventilation to control airborne concentrations below the exposure limits/guidelines. If user operations generate a vapor, dust and/or mist, use process enclosure, local exhaust ventilation, or other engineering controls to control airborne levels below the recommended exposure limits/guidelines.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Suitable chemical protective gloves should be worn when the potential exists for prolonged or

repeated skin exposure. The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other. Nitrile, butyl

rubber or neoprene gloves are recommended.

Other Wear suitable protective clothing. Wear appropriate chemical resistant clothing if applicable.

Respiratory protectionIf engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, an approved respirator must be worn. Respirator selection, use and

protect worker health, an approved respirator must be worn. Respirator selection, use and maintenance should be in accordance with the requirements of OSHA Respiratory Protection

Standard 29 CFR 1910.134 and/or Canadian Standard CSA Z94.4.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

FIR No.: 176131 SDS US

Issue Date: 04-30-2015

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid. Color Light yellow.

Odor Mild.

Odor threshold Not available. Ha 6.5 ASTM D1293

100 % v/v pH concentration Melting point/freezing point Not available. Initial boiling point and boiling > 212 °F (> 100 °C)

range

None Flash point

< 1 (BuAc=1) **Evaporation rate** Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%) Vapor pressure Not available. Vapor density > 1 (AIR=1)

1.01 Relative density

Relative density temperature 39.2 °F (4 °C)

Solubility(ies)

Solubility (water) **COMPLETE Partition coefficient** Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature Decomposition temperature** Not available. Not available. **Viscosity**

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition Upon decomposition, this product emits carbon monoxide, carbon dioxide and/or low molecular

weight hydrocarbons. products

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin contact

May be harmful in contact with skin.

Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May be harmful if swallowed. May cause discomfort if swallowed.

FIR No.: 176131 SDS US

Issue Date: 04-30-2015

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Components Species Calculated/Test Results

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8)

Acute

Dermal

LD50 Rabbit 9.5 g/kg

Oral

LD50 Rat 5.4 ml/kg

5.35 g/kg

Dodecylbenzenesulphonic acid (CAS 27176-87-0)

Acute

Oral

LD50 Rat 890 mg/kg

POTASSIUM HYDROXIDE (CAS 1310-58-3)

Acute

Oral LD50

Rat 273 mg/kg

Sodium etasulfate (CAS 126-92-1)

Acute

Oral

LD50 Guinea pig 1300 mg/kg

Mouse 1550 mg/kg
Rabbit 3580 mg/kg

Rat 4 g/kg

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazardNot an aspiration hazard.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

FIR No.: 176131 SDS US

Version: 01 Issue Date: 04-30-2015 **Ecotoxicity**

Components Species Calculated/Test Results

ALCOHOLS, C11-15-SECONDARY, ETHOXYLATED (CAS 68131-40-8)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 3.2 - 7.2 mg/l, 96 hours

POTASSIUM HYDROXIDE (CAS 1310-58-3)

Aquatic

Fish LC50 Western mosquitofish (Gambusia affinis) 80 mg/l, 96 hours

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

<Unspecified>

Not regulated as dangerous goods.

IATA

<Unspecified>

Not regulated as dangerous goods.

IMDG

<Unspecified>

Not regulated as dangerous goods.

Transport in bulk according to Not established.

Annex II of MARPOL 73/78 and

the IBC Code

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Dodecylbenzenesulphonic acid (CAS 27176-87-0) Listed. POTASSIUM HYDROXIDE (CAS 1310-58-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

FIR No.: 176131 SDS US

Issue Date: 04-30-2015

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Dodecylbenzenesulphonic acid (CAS 27176-87-0) POTASSIUM HYDROXIDE (CAS 1310-58-3)

US. New Jersey Worker and Community Right-to-Know Act

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Dodecylbenzenesulphonic acid (CAS 27176-87-0) POTASSIUM HYDROXIDE (CAS 1310-58-3)

US. Pennsylvania Worker and Community Right-to-Know Law

(2-Methoxymethylethoxy)propanol (CAS 34590-94-8) Dodecylbenzenesulphonic acid (CAS 27176-87-0) POTASSIUM HYDROXIDE (CAS 1310-58-3)

US. Rhode Island RTK

Dodecylbenzenesulphonic acid (CAS 27176-87-0) POTASSIUM HYDROXIDE (CAS 1310-58-3)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.

16. Other information, including date of preparation or last revision

Issue date 04-30-2015

Version # 01

HMIS® ratings Health: 1 Flammability: 0

Physical hazard: 0

NFPA ratings Health: 1

Flammability: 0 Instability: 0

FIR No.: 176131 SDS US

Issue Date: 04-30-2015

Preparation Information and Disclaimer

This document was prepared by FCSD-Toxicology, Ford Motor Company, Diagnostic Service Center II, 1800 Fairlane Drive, Allen Park, MI 48101, USA, based in part on information provided by the manufacturer. The information on this data sheet represents our current data and is accurate to the best of our knowledge as to the proper handling of this product under normal conditions and in accordance with the application specified on the packaging and/or technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. To the extent that there are any differences between this product's Safety Data Sheet (SDS) and the consumer packaged product labels, the SDS should be followed.

Part number(s)

ZC-37-A

FIR No.: 176131 SDS US
Version: 01 8 / 8

Issue Date: 04-30-2015